C.A.T No.E2









Wonder-Gun is...


a new type of air gun that uses compressed air to blow off, suction, and to transfer materials, and is used widely in many industries.

The products marked Sadopt the special jet system, which is a way of bringing out the full power of the compressed air. It works by injecting a large quantity of secondary air in angle to the main air jet and this causes the main air jet to spiral powerfully.

There are no worries that materials get clogged inside of Wonder-gun since it doesn't have any interior restrictions.


Handheld Model

Three in One(Blow off, Suction, Transferring)!!



We offer powerful version for this model.

Suction Nozzle Action



For Blow-off


Place the suction nozzle as in the left drawing 1. Then start operation. A large amount of air goes into the gun from side b together with the compressed air, and a strong air flow is blasted in spirals from the holes on the nozzle

For Suction


Place the suction nozzle as in the left drawing 2. Then start operation. A large amount of air goes into the gun from side A together with the compressed air, and a strong air flow is blasted in spirals from the holes on the nozzle.

In this operation, Wonder-gun can be used as a cleaner.


W101 A set (for suction)




W301 A set (for suction)








(1)



☆ J-38 · J-50 · J-75

Jumbo Model

Mini Model



1.8kg 50 φ 75 190 80 60 J-38 ø50 φ38 \$\$\phi_01.6\$ 3/8 1/2<u>φ 9</u>0 ϕ 2.3×12holes 219 *ф*63 2.5kg 1/2 J-50 90 66 63 φ50 3/8 M8×6 ¢115 4.0kg 270 120 74 φ90 φ75 φ2.3×24holes 1/23/4' M8×6 J-75 76 We offer powerful versions of Jumbo model.

Because of small lot of production, Jumbo model becomes out of stock. We offer hoses and dust bag specially for Jumbo model.

For Blow-off

W501-S • NW501-S • W501-SG • NW501-SG W501-L • NW501-L • W501-LG • NW501-LG

Compact!! Mounting Model !!

Total Blowing Air volume and air consumption Blowing Air volume – – – Air Consumptio Normal) W501-S(G) NW501-S(G) W501-L(G) NW501-L(G) , C <u>ڪ</u> 0.8 в в 0.6 <Blow off □ Suction Blow off Suction 0.4 02 s ----Compressed Air Compressed Air-0.6 0. (mm) (MPa) В Model А С D F(Min ID) G Н J К Nozzle Orifice Weight Vacuum Pressure W501-S(G) 27 OD:φ 9 D:φ 7 φ10 ϕ 1.2×3holes(ϕ 1.2×6holes) 58g 715 105 *φ*133 φ17 1/8ф5 (kPa 60 W501-L(G) 71.5 27 10.5 OD:012 D:010 φ8 ¢16.3 φ21 1/8_ *ф*13 ϕ 1.3×3holes(ϕ 1.3×6holes) 80g NW501-S(G) 94.5 27 10.5 OD:φ 9 ID:φ 7 φ5 ¢13.3 ¢17 1/8 23 ϕ 1.2×3holes(ϕ 1.2×6holes) 60g 50 94.5 1/8 ϕ 1.3×3holes(ϕ 1.3×6holes) 83g NW501-L(G) 27 105 00:012 D:010 23 ф8 *φ*163 *Φ*21 Powerful versions; Total air blast and thrust increase 70% and suction force increases 50%. 40 Recommended B set (for suction) **Compressor Power** 30 Polyethylene Hose (500mm) Hose Clamp(L) W5-2 W501-S(L) 1.1~1.5kw 0ී0ී ව 0 20 ____Ő W501-SG(LG) 1.5~3kw Dust Bag (370×200mm) NW501-S(L) 1.1~1.5kw Nylon Sleeve (S, SG only) 10 NW501-SG(LG) ··· 1.5~3kw 0.5 Hose Clamp(S) 0.6 0.7 Aluminum Sleeve (MPa) -SG · YW501-LG YW501 Model YW501 series are equipped with hand-grips. **Becommended**

Compressor Power

1.5~3kw


(3)

Please make sure to specify either suction or blow-off.


Please confirm delivery schedule since YW501 type are custom-ordered products.

For Suction

-W1-7



Wide-Catch Mounting Model is not a set; If you wish, please specify A or B at the end of the model number.



Hole Cleaning Mounting model is not a set; If you wish, please specify A or B at the end of the model number.

Use as tweezers or for

(kPa

60

50

40

30

20

5

Creaning in corners!!

Pencil Model

Vacuum Pressure

02 03 04 05

Air Foot Valve

0.6



Feature

🛠 W701

- 1.Compact and fits in your hand.
- 2.Can be used with low-pressure compressed air(0.15 \sim 0.5MPa), thus safe and doesn't need much compressed air.
- 3. Suction pipe can be easily replaced for other uses.
- 4. There are no worries that materials will get clogged inside of Wonder-Gun due to a smooth walled interior constructure.

			(mm)
Specification			
Length	ID	OD	weight
137	¢2.8	<i>\$</i> 20	60g

FV-10



For Easy Pedal Operation!!

Small Size!!

Recommended Compressor Power

0.75kw

W701 pencil model is provided as

(Equipped with 1/4" hose joint) •8×5 Tube for dust bag 0.4m — •Injection needle nozzlel — •Dust Bag for W701

the unit below.

Unit contains:

Pencil Model
6×4 Air Tube 1.4m

- Strong Enough for Daily Use. This product is made of aluminum die casting.
- 2 Easy Operation. Use both hands free; Can be used with foot.
- 3 Simple Construction.

Air passes through smoothly so there are no breakdowns.

Air Foot Valve can be connected to W101 and W301 mounting model, W501 series, W701, and other air tools as well.

W301-ES-22 · W301-ES-26



% This can be remodeled to mounting model. Please refer to mounting model on page (2). Air Blast Model

Easily remove rust, scale and paint from parts and small equipment, leaving a satin finish ready for paint or further preparation. Air blast type sprays most abrasives including glass beads, aluminum oxide, steel, grit, or liquide, like, oil, Drawe, abrasives

aluminum oxide, steel grit, or liquids like oil. Draws abrasives straight from bucket or bag.

W301-ES-22 Weight 406g SK Jet Nozzle ID ϕ 6

Air Pressure	Discharge per minute		Vacuum Pressure	Air Consumption	
MPa	Sand	Water	kPa	ℓ/min Normal	
0.4	800g	1000cc	57.6	234	
0.5	850g	800cc	55.3	280	
0.6	850g	700cc	49.7	327	
0.7	850g	550cc	41.8	373	

■ W301-ES-26 Weight 440g SK Jet Nozzle ID Ø 8

	molgine mog	OITOOTHOLLIO	Βψē	
Air Pressure	Discharge per minute		Vacuum Pressure	Air Consumption
MPa	Sand	Water	kPa	ℓ/min Norma l
0.4	1800g	1800cc	56.5	462
0.5	1800g	1650cc	58.4	554
0.6	2000g	1500cc	57.5	646
0.7	2000g	1400cc	53.8	738

We offer a powerful version of air blast gun(W301-ES-28 with Jet Nozzle ID ϕ 10). Please contact us for detail.

W301-ES air blast model is provided as the unit below.

1
1
1

Recommended

Compressor Power W301-ES-22······1.5~3kw

W301-ES-26-----3~5.5kw

-20 · W1-20SE1 • W3-20SET 20

Dust Collector Dust Collector Set



Dust Collector W1-20 (Weight: 6.7kg)



Dust Collector W3-20 (Weight: 6.7kg)

%The above products don't include any tanks.

Unit Contains:



Dust Collector Set

Dust Collector Set

W1-20SET (Weight: 7.7kg)

W3-20SET (Weight: 7.4kg)

Wonder-Gun Dust Collector series don't fit to handle liquid and powders. Please use Silent Cleaner or Mini Porter Cyclone for liquids and powders.

Please refer to page(1) for performance chart.

Dust Filter Dust Collector Super

PCS-1



Dust Filter PC-1 (Weight: 6.5kg)



Dust Filter PC-3 (Weight : 6.5kg)



Dust Collector Super PCS-1 (Weight: 7.7kg)



Dust Collector Super PCS-3 (Weight: 7.4kg)

Unit Contains:						
Model	Wonder-Gun	Suction Pipe	Hose(Oil Registance)	Hose Clamp	Dust Collector	Air coupler
PCS-1	W101 1PC	¢20×400mm 1PC	¢32×2000mm 1 PC	2PCS	PC-1	1/4 1PC
PCS-3	W301 1PC	¢10×300mm 1PC	¢25×2000mm 1PC	2PCS	PC-3	1/4 1PC

Easy to Move!! For a Wide Range of Application!

- Equipped with a 20l tank and aluminum stand with casters. Easy to move.
- PCS-1 can be combined with Wonder-Gun W101 series mounting model, Wide-Catch model, and Hole Cleaning model.
- PCS-3 can be combined with Wonder-Gun W301 series mounting model, and Hole Cleaning model.
- We offer replacement filters.

Wonder-Gun Dust Collector series don't fit to handle liquids and powders. Please use Silent Cleaner or Mini Porter Cyclone for liquids and powders.

Please refer to page(1) for performance chart.


Easy to Use!! For a Wide Range of Application!


- W1-20 set and W3-20set series can be combined with 20l tank. You can collect the materials which have been vacuumed by Wonder-Gun.
- W1-20 can be combined with Wonder-Gun W101 series mounting model, Wide-Catch model, and Hole Cleaning model.
- W3-20 can be combined with Wonder-Gun W301 series mounting model, and Hole Cleaning model.
- We offer replacement filters.

SILENT-CLEANER.




Performance Chart(SC60-32S(W/F)·SC60-38S(W/F))





40 35

Vacuum Pressure




Recommended Compressor Power 5.5~7.5kw

SILENT-CLEANER.

SC30-32S (for Dust Collection) SC30-32S W/F (for Fine Dust Collection)

Jet Ejector



Inner Filter


(9)

Fine Dust Filter Set


Hydro Stopper

Floor Brush

Easy to Use... Put it on a Tank!!





Round Dusting Brush





Narrow Nozzle

SILENT-CLEANER.









Recommended Compressor Power
Compressor Power
11~15kw


SILENT-CLEANER

SC30-32TVG (for High Viscosity liquid)

Vacuum Thick Materials such as Mayonaise and Grease EASILY !!

Powered by Compressor!!

No Rotating Parts -Breakdowns Caused by Wear and Tear Are Minimized !!



(12)


MINI-PORTER-CYCLONE.

MP-38 CF12

No Filters are used to process fine dust or powder.



Centrifugal Action of Mini Porter Cyclone



TROUBLES IN HANDLING FINE POWDER??

Mini Porter Cyclone separates powder and air by centrifugal force and sheer dead weight with no filters. Eventually, the powder is dropped into a tank and accumulats while the air flows into the suction machine. When handling flour, for example, the efficiency is almost 100%. This function reduces maintenance and helps to save expense and time.



MINI-PORTER-CYCLONE

😚 Combination Model

Easy to Move!! Great for Fine Powder!!



For performance, please refer to performance chart on page(9).

𝔅 MP-38WA CF12 with Ejector

Built-in Jet Ejector!!

MP-38WA series are designed specially to handle fine powder.

No Filters are used to process fine dust or powder.

No Rotating parts -

(Tem 2.0


(m³/min1


1.0

05


Breakdowns caused by wear and tear are minimized.

(Same construction as Silent Cleaner)





Mini Porter Cyclone Serie MP-38CF12 ······Plate Thickness 1.2mm Hose IDø38 MP-50CF12 ······Plate Thickness 1.2mm Hose IDø50 MP-38WACF12 ·····Plate Thickness 1.2mm Hose IDø38 MP-50WACF12Plate Thickness 1.2mm Hose IDø50 For custom-orders, please contact us.





1-7-28, Yunagi, Minato-ku, Osaka, 552-0004 Japan TEL:+81-6-6572-1207 FAX: +81-6-6572-1256 http://www.osawa-company.co.jp E-mail: osawa@osawa-company.co.jp